



LinkQage

think IT, link IT

2023 Healthy Office


Volume 4

CONTENTS PAGE

- 03 Monitor Brackets**
- 05 Sit-Stand Desk**
- 06 Organisation System**
- 07 Batteries - Charge Up**
- 08 Notebook Stands**
- 08 Healthy Office Accessories**
- 10 Cable Tidy**
- 11 Notebook Security Locks**
- 12 Charging Stations
Docking Stations
Hubs
Converters & Adapters
Computer Cables**
- 18 Complete Office Solution**



13" - 32" Aluminium Articulating Preconfigured Monitor Arms



LDT15-C011

- 90° Up / 40° Down Tilt
- 180° Rotate
- 90° Swivel
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 288mm
- Supports Flat Panel up to 8kg

13" - 32" Dual Monitor Modular Arm Aluminium Desk Bracket



LDT15-C024

- 90° Up / 40° Down Tilt
- 180° Rotate
- 90° Swivel
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 468mm
- Supports Flat Panel up to 8kg per Mount


13" - 32" Single Monitor Modular Arm Aluminium Desk Bracket



LDT15-C011

- 90° Up and 40° Down Tilt
- 90° Swivel
- 180° Rotate
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 288mm
- Supports Flat Panel up to 8kg

13" - 32" Modular Arm Bracket for LDT15 Series (Single, Double or Triple)



LDT15-ARM

13" - 32" Triple Monitor Counterbalance Aluminium Desk Bracket



LDT10-C036U

- 90° Up/Down Tilt
- 90° Rotate
- 90° Swivel
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 715mm
- Supports Flat/Curved Panel up to 7kg per Mount
- Includes USB 3.0 and Audio Port

ARMS should be close to your side and elbows at around 90 degrees.

Place your keyboard and mouse within a comfortable reach.


Use a **GOOD CHAIR** that provides lumbar support. Sit up straight against your chair's backrest so your head, shoulders and hips are aligned.



YOUR EYES should be 20 to 40" from your monitor. If you have trouble reading from that far away, adjust your computer font size.

GIVE YOUR HOME OFFICE A **makeover** with this Edition of Our Healthy Office Catalogue

DON'T BE LIKE THIS GUY Always have a Good Posture.



WE CAN HELP YOU with our Range of Healthy Office Items.

13" - 23" Dual Monitor
Articulating Vertical Desk Bracket



HEALTHY OFFICE

LDT02-C02V

- 90° Up/40° Down Tilt
- 180° Rotate
- 90° Swivel
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 468mm
- Supports Flat Panel up to 8kg per Mount

13" - 23" Steel Laptop/
Notebook Stand



HEALTHY OFFICE

NBH-2

- For Desktop Brackets with Standard VESA 75 x 75, 100 x 100
- Dimensions: 300 x 60 x 280mm
- Supports up to 4.5kg

13" - 32" Single Monitor
Articulating Arm with
Laptop/Notebook Holder



HEALTHY OFFICE

LDT12-C1M2KN

- 45° Up/Down Tilt
- 180° Rotate
- 90° Swivel
- VESA Compliant: 75 x 75, 100 x 100
- Maximum Arm Reach: 525mm
- Supports Flat Panel up to 8kg

17" - 32" Single Screen Ultra-Thin
Adjustable Cubicle Monitor Hanger



HEALTHY OFFICE

LDT18-H01

- 180° Rotation
- Maximum VESA: 100 x 100
- Supports Flat Panel up to 8kg

37" - 70" Height Adjustable Aluminium AV Trolley



HEALTHY OFFICE

TTV07-46TW

- Height Adjustable Video Panel Mount
- 5° Up and 12° Down Tilt
- Maximum VESA: 600 x 400
- Maximum Height of 1620mm
- Supports Flat Panel up to 50kg

13" - 32" Single Screen Height
Adjustable Standing Desk
Converter Workstation




HEALTHY OFFICE

DWS03-T01

- 45° Up/Down Tilt
- 40° Left/Right Swivel
- 180° Rotation
- Maximum VESA: 100 x 100
- Supports Flat Panel up to 7kg
- Maximum Height of 1120mm
- Height Adjustable Video Panel Mount

13" - 30" Dual Screen Height
Adjustable Standing Desk
Converter Workstation



HEALTHY OFFICE

DWS03-T02

- 45° Up/Down Tilt
- 40° Left/Right Swivel
- 180° Rotation
- Maximum VESA: 100 x 100
- Supports Flat Panel up to 6kg per Mount
- Maximum Height of 1120mm
- Height Adjustable Video Panel Mount

13" - 32" Single Screen Height Adjustable Standing Desk Converter Workstation



HEALTHY OFFICE

DWS19-T01

- 45° Up/Down Tilt
- 30° Left/Right Swivel
- 180° Rotation
- Maximum VESA: 100 x 100
- Supports Flat Panel up to 8kg
- Maximum Height of 1120mm

13" - 32" Dual Screen Height Adjustable Standing Desk Converter Workstation



HEALTHY OFFICE

DWS19-T02

- 45° Up/Down Tilt
- 30° Left/Right Swivel
- 180° Rotation
- Maximum VESA: 100 x 100
- Supports Flat Panel up to 8kg per Mount
- Maximum Height of 1120mm

Gas Spring Sit-Stand Desk Converter Workstation with Keyboard Tray Deck



HEALTHY OFFICE

DWS28-02N

- Dimensions: 950 x 615 x 110 ~ 505mm
- Keyboard Weight Capacity up to 2kg
- Supports Flat Panel up to 15kg
- Worksurface Thickness: 15mm

3-Stage Triple Motor Corner Electric Sit-Stand Desk Frame



HEALTHY OFFICE

M06-33DC

- Height Range: 620 - 1280mm
- Width Range: 1115 - 1815mm
- Supports up to 150kg

3-Stage Column Dual Motor Electric Sit-Stand Desk Frame (Available in Black or White)



HEALTHY OFFICE

M06-23D-B / M06-23D-W

- Height Range: 620 - 1280mm
- Width Range: 1000 - 1700mm
- Supports up to 125kg

13" - 32" Height Adjustable Standing Workstation



HEALTHY OFFICE

N02-22D

- Removable Handle Crank
- Height Range: 730 - 1230mm
- Width Range: 1000 - 1600mm
- Supports up to 70kg



**SLATWALL
DESK
ORGANIZATION
SYSTEM**

Aluminium Panel



BRK-SW01-3

Desk Mounting Pole



BRK-SW02-3

Wall Mounting Plate



BRK-SW02-4



Steel Monitor Bracket



BRK-SW03-8

File Holder



BRK-SW03-10

Telephone Holder



BRK-SW03-11

Pencil Cup



BRK-SW03-9



Cable Management



CC10-1

• 1.3m, Interlink Blocks, 7" Steel Plate




Fabric Cable Management



CC10-3

• Zip Sleeve - 650mm x 210mm



**Clean
Screens**

Scented Screen Cleaning



SC-32



Cleaning Wipes

01CL008



Toshiba Hi-Power Alkaline AA
(6-Pack)



BAT-TO-HIAA6

Toshiba Alkaline 9V
(1-Pack)



BAT-BA-TO-9VBP1

Toshiba Alkaline AA
(6-Pack)



BAT-BA-TO-AABP6

Toshiba 3V Lithium Coin Battery
(1-Pack)



BAT-BC-CR-2032

Toshiba Button Battery
(6-Pack)



BAT-CR-2025

Toshiba Hi-Power Alkaline C
(2-Pack)



BAT-BATOHIC2



CHARGE UP!!!

Selection of Batteries Available

11" - 15" Aluminium Laptop/
Notebook Stand



BRK-AR-1

- Dimensions: 239 x 210.5 x 67.5mm

13" - 32" Height Adjustable Stand
with Drawer



BRK-AMS-2L

- Dimensions: 500 x 330 x 168mm
- Height Adjustable with Stacking Columns
- Supports up to 10kg

13" - 23" Foot Rocker



FOOT-ROCKER-BLACK

- 2-in-1 Low Impact
- Two Settings for Lower Leg Motion
- Anti-Slip for Stability

20W LED Clamp Lamp



BKR-LDL05-2


- Colour Temperature: 2700 - 6500K
- 5-Level Dimmer
- Light Lifespan: 25000 Hours
- 800 x 59 x 540 - 650mm

Desktop Privacy Panel



BRK-AP01-01

- Dimensions: 1180 x 300 x 15mm
- Weight: 1.1kg
- Material: Polyester Fibre
- Colour: Orange



BRK-AP01-03

- Dimensions: 960 x 310 x 18mm
- Weight: 1.1kg
- Material: Polyester Fibre
- Colour: Orange



LED RGB Mousepad



MOU-PAD-LED-RGB

- Non-Slip Rubber Base

Notebook Cooler Fan - Ergo Stand



BRK-FAN-ERGO-STAND

- 140mm Silent Speed Controlled Fan for Perfect Cooling
- Metal Mesh on The Surface with Original Black Finish
- The Rubber on Surrounding for Anti-Shock
- Suitable For 9" to 17" Laptops or Notebooks
- 2 Port USB Hub
- Five Angle Stands
- Ergonomic Design

Carpet Protector



MAT-14MPVC002

- Transparent, 1200 x 920 x 2mm



Anti-Fatigue Standing Mat



MAT-STM01-2

- Standing Mat, 510 x 990 x 20mm




MAT-STM02-3

- Standing Mat, 457 x 558 x 19mm



1m Fine Ribbed Rubber Flooring



NET-FINE-RIB-RUBBER

• 500mm x 3m - Sold Per Metre

85mm Hook & Loop Polyester Cable Sock



NET-CABLE-SOCK-2M

• 2m

NET-CABLE-SOCK-5M

• 5m



TIDY UP YOUR CABLES!!!

5m Nylon Hook & Loop Carpet Cable Cover



NET-SOCK-CCS-100-5M

• 5m

1-Channel PVC Rubber Floor Cable Cover



NET-TRUNK-FCOV

1-Channel Floor Cable Cover



NET-CORD-COVER-1CH

2-Channel 250mm Wide Rubber Cable Ramp



NET-COVER-2CH

3-Channel 350mm Wide Rubber Cable Ramp



NET-RUBBER-3CH

1-Channel LDPE Plastic Cable Ramp



NET-PVC-COVER-1CH

4-Dial Combination Wedge Notebook Lock



Lock-LKCP-6624

- Compatible with Dell, HP & Lenovo
- Wedge Lock Size: 3.3 x 4.5mm

Key-Type Kensington Notebook Lock



Lock-LKCP-7293

- Cable Size: 4.5 x 1800mm
- Lock Size: 44 x 16.5 x 16.5mm

4-Dial Combination Kensington Notebook Lock



Lock-LKCP-6693

- Cable Size: 4.5 x 1800mm
- Lock Size: 56 x 20 x 18mm

Lock For Computer and Monitor Kit



Lock-LKCP-1196

- Cable Size: 7 x 1500mm
- 2x Steel Shackle
- Plus Bolts and Washers
- 1x Brass Padlock
- 2x Brass Keys
- 2x Alcohol Pads
- 2x Black Rubber
- 1x Scouring Pad
- Security Plates
- 1x Glue (3g)

Key-Type Slim Kensington Notebook Lock



Lock-LKCP-7236

- Cable Size: 4.5 x 1800mm
- Lock Size: 3 x 7mm

Key-Type Wedge Notebook Lock



Lock-LKCP-7233

- Cable Size: 4.5 x 1800mm
- Lock Size: 3.2 x 4.5mm

USB Security Notebook Lock



Lock-LKCP-7227-SL

- Cable Size: 4.5 x 1800mm

3-Dial Combination Padlock with Clip



Lock-LKCP-0566W

- Cable Size: 3 x 2100mm

USB 2.0 4-Port Hub with 80cm Cable



Y-2140

- Connect up to 4 Devices Simultaneously
- Best Solution for USB Port Expansion
- Data Transfer Speed up to 480Mbps
- Plug and Play

4-PORT USB Charge Station



Y-2162

- Use Existing Charging USB Cables
- 36W Power
- No More Messy Cables
- Compact Cable Roller Design

Q4+ 4-in-1 Type-C Hub with 10Gbps Data, HDMI and PD 100W



D1053A

- 4K @60Hz UHD HDMI Output
- USB Power Delivery up to 100W
- USB 3.2 Gen2 10Gbps Data

Q4 Advanced 4-in-1 Type-C Hub in 10Gbps



H1302A

- 4-Port USB Expansion with USB 3.1 Gen2 10Gbps SuperSpeed
- 2-Ports for Type-C Expansion
- Miniature Dimension
- Anti-Fingerprint Aluminium-Alloy Housing

USB 3.0 to SATA Hard Disk Docking Station with Card Reader



Y-1092

- Supports a 3.5" or 2.5" SATA Hard / Solid State Drive. With UASP (USB Attached SCSI Protocol) Function - Accelerates Data Transfer Speed
- 2x USB 3.0 Ports
- SD Card Reader

USB 3.1 Type-C 11-in-1 Docking Station with Triple Display Support



D1022A

- 1x Foldable Mobile Phone Stand
- 2x USB 3.1 Ports BC1.2 Charging
- 1x USB 2.0 Port
- 1x HDMI Port 4K @30Hz, 1x DisplayPort 4K @30Hz and 1x VGA 1080p @60Hz
- 1x Gigabit Ethernet Port
- 1x SD Card and 1x Micro-SD Card Reader
- 1x Audio Port

USB 3.0 4-Port Hub with 60cm Cable



Y-3089

- Includes an Optional Micro-B Power Port for External Power



Human friendly

Type-C Universal Port Replicator: HDMI/DVI/VGA



D001A

- Output to 2x Displays Simultaneously - Extend or Mirror Mode
- 3x USB 3.0 Ports
- 1x HDMI Port
- 1x DVI Port with DVI to VGA Converter
- 1x Gigabit Ethernet Port
- Audio Port

Type-C 8-in-1 Hub with 4K HDMI and Power Delivery



D1019A

- 1x Type-C with 100W / 20V 5A Power Delivery
- 2x USB 3.1 Ports
- 1x Gigabit Ethernet Port
- Reads SD + Micro SD
- 1x Audio Port
- 1x HDMI Port - Supports 4K @30Hz Resolution
- 1x VGA

Type-C Multi-Port Hub



D1026B

- 1x Type-C with 100W / 20V 5A Power Delivery
- 3x USB 3.1 Ports
- 1x Gigabit Ethernet Port
- Reads SD + Micro SD
- 1x HDMI.2.0 Port - Supports 4K @30Hz Resolution
- 1x VGA
- Supports DisplayPort Alternate Mode

Mini DisplayPort Compliant with Intel Thunderbolt



Y-6327WH

- Compliant with Intel Thunderbolt

Mini DisplayPort to DVI Female Converters



Y-6326BK/WH

- Compliant with Intel Thunderbolt


Mini DisplayPort to HDMI Female Converter



Y-6331

- Supports 4K Resolution

USB to Ethernet Converters



Y-1468

- Supports IPv4/IPv6, PoE, Wake-on-LAN, Full and Half Duplex
- USB 2.0 10/100Mbps

Y-3470

- USB 3.0 Gigabit

USB 3.0 to DVI/VGA Converter



Y-3801

- Supports Mirroring, Extension, Multi-Screen and Screen Rotation Modes

Type-C to HDMI/VGA Converter with MST



Y-1126A

- Supports MST (Multi-Stream Transport) Function
- Supports 4K @60Hz Resolution
- Supports DisplayPort Alternate Mode

DisplayPort to DVI Female Converter



Y-5118AA

- Supports Resolutions up to 1920 x 1200
- Supported on any DVI-D Display
- Compliant with DisplayPort 1.1a Specifications

DisplayPort to HDMI Female Converter



Y-6332

- Supports 4K Resolution

USB 3.0 Type-C to DisplayPort Converter



Y-6317

- Supports DisplayPort Alternate Mode

USB 3.1 Type-C to HDMI2.0 Converter



Y-6316

- Supports 4K @60Hz Resolution
- Supports DisplayPort Alternate Mode

USB 3.1 Type-C to HDMI/VGA Converter



Y-V100SL

- Supports 4K @30Hz Resolution

USB 3.1 Type-C to VGA Converter



Y-6315

- Supports 1080p @60Hz Resolution

USB 3.1 Type-C to Gigabit Converter



Y-3465

- Supports IPv4/IPv6 Network, Full Duplex, Automatic Flip and Flow Control

USB 2.0 Type-C to Stereo Audio Adapter



Y-248

- Convert a Type-C Port to Audio Port
- Aluminium Housing
- DAC Supports up to 192KHz 16/24bit Output
- ADC Supports up to 96KHz 16bit Output
- Crystal Clear Audio Output

USB 3.1 Type-A to Type-C Adapter



A1034NI

- USB 3.0 5Gbps SuperSpeed
- Zinc-Alloy Housing
- 10,000+ Guarantee of Port-Insertion
- Easy-Grip Design

USB 3.1 Type-C to Type-A Adapter



Y-A025CGY

- USB-A Devices or Peripherals (e.g. flash drive, keyboard, mouse etc.)
- Data Transfer Rate up to 5Gbps
- Ultra Tiny Design
- Aluminium-Alloy Housing

USB 3.1 Type-C to Micro USB Adapter



Y-A027AGY

- Convert Type-C to Micro USB
- For Sync and Charging
- Aluminium Housing
- Small and Portable

HDMI Male to VGA Female with Audio Converter



DisplayPort Male to HDMI Female Converter



Mini DisplayPort Male to HDMI Female Converter



Mini DisplayPort Male to VGA and HDMI Female Converter



CNV-MINI-MDISP-VGAF

- HDMI Male Input
- VGA Female Output
- Audio Output

CNV-DP-HDMIF

- DisplayPort Male Input
- HDMI Female Output

CNV-MINI-DISP-HDMIF

- Mini DisplayPort Male Input
- HDMI Female Output

CNV-MINID-VGAF-HDMIF

- Mini DisplayPort Male Input
- VGA Female Output
- HDMI Female Output

DisplayPort Male to HDMI Female Converter



DisplayPort Male to VGA Female Converter



HDMI Male to VGA Female with Audio Converter



CNV-DP-HDMI-LQ

- Maximum Resolution of 4K
- Source: DisplayPort
- Screen: HDMI

CNV-DP-VGA-LQ

- Maximum Resolution of 1080p
- Source: DisplayPort
- Screen: VGA

CNV-HDMI-VGA-LQ

- Maximum Resolution of 1080p
- Source: HDMI
- Screen: VGA

Mini DisplayPort Male to
HDMI Female Converter



CNV-MINIDP-HDMIF-LQ

- Maximum Resolution of 4K
- Source: Mini DisplayPort
- Screen: HDMI

4K USB Type-C to
HDMI Female



CNV-USBC-HDMIF-LQ

- Maximum Resolution of 4K
- Source: Type-C
- Screen: HDMI

USB Type-C to
VGA Female



CNV-USBC-VGA-LQ

- Maximum Resolution of 1920 x 1080 Resolution
- Source: Type-C
- Screen: VGA

VGA Male to HDMI Female
with Audio Converter



CNV-VGA-HDMI-LQ

- Maximum Resolution of 1080p
- Source: VGA
- Screen: HDMI

DisplayPort Male to
HDMI Male Cable (1.8m)



CAB-DP-HDMI-1.8M-LQ

- Maximum Resolution of 4K
- Source: DisplayPort
- Screen: HDMI

HDMI Male to VGA Male
with Audio Cable



CAB-HDMI-VGA-1.8M-LQ

- Maximum Resolution of 1080p
- Source: HDMI
- Screen: VGA



32" - 55" Slim Profile Fixed TV Wall Mount

- BRK-KL22-44F**
- Maximum VESA: 400 x 400
 - Profile of 19.5mm
 - Supports Flat Panel up to 35kg

17" - 32" Pivot Pole Mount LED Screen Arm

- BRK-LDA35-110**
- 30° Up/Down Tilt
 - 180° Rotate
 - 90° Swivel
 - Standard VESA 75 x 75, 100 x 100
 - Dimensions: 114 x 140 x 114mm
 - Supports up to 8kg

45" - 65" Easel Studio TV Floor Stand

- BRK-FS12-46F**
- 180° Swivel Range
 - Maximum VESA: 600 x 400
 - Dimensions: 1385 x 880 x 420mm
 - Supports Flat Panel up to 32kg

7.9" - 10.5" Universal Anti-Theft Tablet Countertop/Wall Mount Holder

- BRK-PAD21-02**
- 70° Tilt 330° Swivel, 360° Landscape to Portrait Rotate
 - Dimensions: 223 x 151 x 267mm



CAPE TOWN

Tel: +27 (0)21 514 4800
Fax: +27 (0)21 511 1433
sales@linkqage.co.za
salesCPT@linkqage.co.za

DURBAN

Tel: +27 (0)31 020 0271
Fax: +27 (0)21 511 1433
salesDBN@linkqage.co.za

JOHANNESBURG

Tel: +27 (0)11 695 2600
Fax: +27 (0)21 511 1433
salesJHB@linkqage.co.za

NELSPRUIT

Tel: +27 (0)13 010 1710
Fax: +27 (0)21 511 1433
salesNLP@linkqage.co.za

PORT ELIZABETH

Tel: +27 (0)41 393 4300
Fax: +27 (0)21 511 1433
salesPE@linkqage.co.za



NATIONAL NUMBER

0860 53 88 69

Custom Connection Solutions Just For You

BUSINESS POWER SYSTEMS



About BPS

We manufacture bespoke power solutions in South Africa for homes, offices, boardrooms, kitchens, workbenches, server rooms, camping trailers and any area that requires a bespoke power fitting to enhance your space.

Our electrical engineers have over 50 years experience in the industry which means the highest quality components are used to give you peace of mind that you are getting a quality product that meets all safety standards.

BPS products are available nationwide and with a simple click of a button you can have a quote e-mailed from our website instantly.

Our turn around times are one of the best. We have "ready to go" units available immediately and have an "express service" for a single custom made unit which can be made in 1 day.

- 3 Wall Plate / Desk Grommet**
- 4 Multi-Connectivity**
- 6 Ready to Go Units**
- 8 21 Series JN006 Series**
- 9 OfficeConnect**
- 10 Power Cables**



WALL PLATES / DESK GROMMETS



NET-QC-12582

- 1x HDMI
- Dimensions: 125 x 79mm



NET-QC-12580

- 1x VGA
- 1x HDMI
- 1x Audio
- 1x Video
- 1x LAN
- Dimensions: 125 x 79mm



NET-QC-12584

- 1x VGA
- 1x HDMI
- 1x Audio
- 1x USB
- 1x LAN
- Dimensions: 125 x 79mm



NET-EBPLATE-HDMI

- 2 x 4 with cut out for HDMI Panelmount



NET-08C-60

- 3x USB
- 1x SD Card Reader
- 1x MS Card Reader
- 1x Audio Out & 1x Audio In
- Dimensions: 125 x 79mm



NET-GROMMET-POWER

- 80mm Ø
- 1x 16A
- 2x USB

NET-GROMMET-POWER-NW

- 80mm Ø
- 1x 16A
- 1x USB
- 1x RJ45



CHARGE-QI-EMBED-T / CHARGE-QI-EMBED-B

- Input: 5V 1.8A
- Output: 5W
- Dimension: 62 x 62 x 28mm



NET-DMS-668

- 1x POWER
 - 2x USB
 - 1x AUDIO
 - 1x VGA
 - 1x HDMI
 - 2x LAN
- Dimensions: 142 x 109 x 118mm



NET-DMS-665

- 1x Power
 - 2x LAN
 - 1x USB
 - 1x Audio
 - 1x VGA
 - 1x HDMI
- Dimensions: 148 x 121 x 118mm



NET-DMS-044

- 2x Power
 - 2x LAN
 - 1x Audio
 - 1x VGA
 - 1x Video
- Dimensions: 165 x 122 x 150mm



NET-DMS-066

- 1x SA Power
 - 1x USB
 - 1x VGA
 - 1x HDMI
 - 1x Audio
 - 2x LAN
- Dimensions: 165 x 122 x 150mm



NET-DMS-321

- 1x Power
 - 2x LAN
 - 1x USB
 - 1x Audio
 - 1x VGA
 - 1x Video
 - 1x HDMI
- Dimensions: 165 x 122 x 150mm



NET-DMS-055

- 2x Power
 - 1x HDMI
 - 1x Audio
 - 2x LAN
 - 1x Video
- Dimensions: 165 x 122 x 150mm



DELOCK-87733

- 1 x Power
 - 1 x HDMI
 - 1 x Audio
 - 1 x VGA
 - 1 x LAN
 - 1 x Mini DisplayPort
 - 1 x USB Type-C (DisplayPort Alt Mode)
- Dimensions: 184 x 96 x 80mm





FULLY ASSEMBLED UNITS



READY TO GO

80mm Eco Pop-Up

Simply push the button and pull to activate the pop-up mechanism.

Our Eco Pop-Up locks in place with an audible click, so that you have the peace of mind of knowing that it's been successfully deployed.

- Durable, hard-working design
- Choose multiple socket combinations
- High-quality lifting mechanism
- Comes with power supply cable or incoming and outgoing tails



120mm Pop-Up with Wireless Charging

Simply push the button to activate the pop-up mechanism.

Our Eco Pop-Up locks in place with an audible click, so that you have the peace of mind of knowing that it's been successfully deployed



- Multi-use
- Gas strut operation
- Release & Lock mechanism
- Flush with the desk
- Wireless charge
- 4x 16A
- 2x USB
- 1x HDMI
- 1x LAN

Eco Bar

The Eco Bar puts the power and connectivity of your business needs within reach of your team members in a tough, stylish solution that works.



- Flush fit design
- Discreet and easy to mount
- Customisable to meet your needs
- Available in lengths from 100mm - 1000mm
- Incoming and outgoing tails with connectors
- Customisable colours
- Hardwired options available

Eco Flush

The Eco Flush offers both strength and subtlety. Its low-profile, ergonomic design takes up a minimum of space in your working environment, and yet it's packed with powerful, useful features that more than justify you installing one in every desk.



- Flush fit design
- Discreet and easy to mount
- Customisable to meet your needs
- Available in lengths from 100mm - 1000mm
- Incoming and outgoing tails with connectors
- Customisable colours
- Hardwired options available

Eco Versa

Whether you're working from home, or hot-desking in a corporate environment, the Eco Versa keeps you in contact and powered up. Solid yet flexible.



- Solid aluminium construction
- Up to 600mm in length
- On-desk or under-desk mounting options
- Attaches securely with screws or clamps
- Easy to customise

Eco Flip-Up

Our Eco Flip-Up is available in sizes from 100mm - 400mm.

Sturdily constructed, it can stand up to the rough and tumble of everyday office life, and yet always maintains its good looks.



- Choose multiple socket combinations
- High quality lifting and durable
- Supplied with connections of the daisy chain OfficeConnect
- Comes with incoming and outgoing tails
- Hardwired options available

Manual "Flipping" Desktop Socket



NET-DMS-715

- 2x Power
- 2x LAN
- 1x Audio
- 1x VGA
- 1x HDMI
- 1x USB
- 1x RJ11

· Dimensions:
380 x 110 x 103mm

NET-DMS-706

- 2x Power
- 1x USB
- 1x VGA
- 1x HDMI

· Dimensions:
357 x 110 x 103mm

Eco Pole

This is a Multi Purpose Power Pole. It is mounted from floor to ceiling and can be used in any room you desire.

Sleek and Elegant Design - Comes in Black

BPS-ECO-POLE-SQ

- 4x Dedicated Power
- 4x Normal Power
- 4x Double Data
- Available in 2m, 3m, 4m, 5m or 6m Lengths




Eco Versa - Desktop Mount



BPS-ECOVERSA-JENNY

- 2x SA Sockets
- 2x Euro Sockets
- 2x USB with 3m Power Cable

80mm Alpha Grommet



NET-GROMMET-ALPHA

- 1x LAN
- 1x SA
- 1x New SA

- 1x USB
- 1x Type-C

Modern Slide in Desk Unit






















POWER-SLIDE-MODERN

- 1x SA
- 2x New SA
- 1x Type-C
- 1x USB

- Wireless Charger
- Smart Magnetic Close

OPTIONAL SOCKETS AND POWER OUTLETS FOR 21 SERIES & JN006


<p>German Schuko Socket</p>  <p>Also Available in White ZP16ASBL</p>	<p>SA Slim Line Module</p>  <p>Also Available in White ZP164BL</p>	<p>Universal Module</p>  <p>Also Available in White ZPINTBL</p>	<p>3-PIN SA Module</p>  <p>Also Available in White ZP16ABL</p>	<p>USB Charger Module</p>  <p>Also Available in White P2USBCHBL</p>	<p>3-PIN SA Dedicated Module</p>  <p>Also Available in Blue/Black ZP16ARD</p>	<p>Blank with Cable Hole</p>  <p>Also Available in Black ZPCPTW</p>	<p>VGA Blank</p>  <p>Also Available in Black PVGABLW</p>
<p>Dual RJ45 Blank with Clip</p>  <p>Also Available in Black ZP2RJBLW</p>	<p>Single RJ45 Blank with Clip</p>  <p>Also Available in Black ZPRJBLW</p>	<p>HDMI Blank</p>  <p>Also Available in Black PHDMIBLW</p>	<p>HDMI Socket with Lead</p>  <p>ZPHDMIL</p>	<p>Reset Switch</p>  <p>IBS-IR-15A</p>	<p>22mm Narrow Blank</p>  <p>ZP20BLBL</p>	<p>42mm Wide Blank</p>  <p>ZP40BLBL</p>	
<p>Male Cable Connector</p>  <p>Also Available in White BLACK-3P-006M-B</p>	<p>Female Cable Connector</p>  <p>Also Available in White BLACK-3P-006F-B</p>	<p>Male Panel Connector</p>  <p>Also Available in White BLACK-3P-002M-B</p>	<p>Female Panel Connector</p>  <p>Also Available in White BLACK-3P-002F-B</p>				

PDU

(POWER DISTRIBUTION UNIT)

AN ELECTRICAL DEVICE USED
TO CONTROL THE
DISTRIBUTION OF POWER
TO INDIVIDUAL LOADS

CONNECT up to
THREE Interchangeable
OFFICECONNECT
Daisy Chain GST18 F/M PDUs
from **ONE** power source



5-WAY SA OfficeConnect PDU



PWR-OFFICE-SA

5-WAY EU OfficeConnect PDU



PWR-OFFICE-EU

5-WAY IEC C19 OfficeConnect PDU



PWR-OFFICE-C19

5-WAY IEC C13 OfficeConnect PDU



PWR-OFFICE-C13

5-WAY UK OfficeConnect PDU



PWR-OFFICE-BRITISH

3m Interconnect Cable



CAB-OFFICE-INTER

3m Power Supply Cable to Power Dock



CAB-OFFICE-POWER

Single-Headed
Dedicated Power Cables



- CAB-PWR-1H-D-1.8M 1.8m
- CAB-PWR-1H-D-4M 4m
- CAB-PWR-1H-D-5M 5m
- CAB-PWR-1H-D-10M 10m
- CAB-PWR-1H-D-20M 20m

Hot-Socket Single-Headed
Dedicated Power Cable



CAB-PWR-1HC15-D-1.8M 1.8m

Multi-Headed
Dedicated Power Cables

Available in 2-Headed, 3-Headed or 4-Headed



- CAB-PWR-2H-D-3M 3m
- CAB-PWR-3H-D-4M 4m
- CAB-PWR-4H-D-5M 5m

Right-Angled
Dedicated Power Cable



CAB-PWR-1H-DR-1.8M 1.8m

C19 Female
Dedicated Power Cable



CAB-PWR-D-C19-3M 3m

Clover
Dedicated Power Cables



- CAB-PWR-1H-CD-1.8M 1.8m
- CAB-PWR-1H-CD-3M 3m

Clover + IEC Dedicated Power Cables



- CAB-PWR-1C1IEC-D-3M 3m
- CAB-PWR-2H-1CLO-4M 4m
- CAB-PWR-1IEC-2CLO-4M 4m

1.8m Figure 8
Dedicated Power Cable



CAB-PWR-D-FIG-8-1.8M 1.8m

Figure 8 + IEC
Dedicated Power Cables



- CAB-PWR-D-1IEC-FIG8 2.8m
- CAB-PWR-3H-1IEC2FIG8 3m

IEC + Clover + Figure 8
Dedicated Power Cable



CAB-PWR-IEC-CLV-FIG8 3.8m

Single-Headed Blue
Dedicated Power Cable



CAB-PWR-1H-B-IEC-1.8 1.8m

British Single-Headed IEC or Clover Power Cables



- CAB-PWR-1H-BR-1.8M 1.8m
- CAB-PWR-1H-BR-CL-1.8 1.8m

Single-Headed Shuko Power Cable



CAB-PWR-SHUCKO-IEC 1.8m

Partially Dedicated Slimline to IEC Cable



CAB-PWR-D-NSA-IECF 1.8m

Partially Dedicated Slimline to Clover Cable



CAB-PWR-D-NSA-CLOVER 1.8m

Partially Dedicated Slimline
to 2x IEC and Clover Cable



CAB-PWR-DNSA-2IEC1CL

4m

2-Pin Euro Socket
Power Cable



CAB-PWR-EURO-N-1M

1m

2-Pin Euro Socket
Dedicated Power Cable



CAB-PWR-EURO-D-1M

1m

2-Pin Euro Socket
to 2-Pin Euro Power Cable



CAB-PWR-EURO-MF-1M

1m

2-Pin Euro Socket plus
2x IEC Dedicated Power Cable



CAB-PWR-2H-IEC-2PIN

3m

Power Extension Cable



CAB-PWR-KMKF-1.8M

1.8m

CAB-PWR-KMKF-3M

3m

Hot Socket Power
Extension Cable



CAB-PWR-IEC-C15-1.8M

1.8m

CAB-PWR-IEC-C15-3M

3m

Power Splitter Extension
Cable



CAB-PWR-IECM-2IECF

1.8m

2m C13F to C14M Lockable
Power Extension Cables



CAB-C13-C14-2M-LK-BK

2m


CAB-C13-C14-2M-LK-BL

2m

CAB-C13-C14-2M-LK-RD

2m

2m C19F to C20M Lockable
Power Extension Cables



CAB-C19-C20-2M-LK-BK

2m

CAB-C19-C20-2M-LK-BL

2m

CAB-C19-C20-2M-LK-RD

2m

C19F to C20M
Power Extension Cable



CAB-PWR-C19-C20-2M

2m

IEC Male to Figure 8
Power Adapters



CAB-PWR-MIEC-FIG8

15cm

IEC Male to Clover
Power Adapters



CAB-PWR-MIEC-CLVR15C

15cm

5-Port Multi-Plug



PWR-MP-5P

• 5x 10A

• 5x 6A

11-Port Multi-Plug




PWR-MP-TIPS

• 5x 10A

• 5x 6A

• 5x 15A

• 5x Switches



OUR OFFICE SYSTEMS RANGE WILL
TAKE YOUR WORK STATIONS AND OFFICES
TO THE NEXT LEVEL.

OUR EXCLUSIVE AND STYLISH DESIGN WILL
ENSURE AN EXECUTIVE LOOK TO ANY WORKSTATION,
OFFICE DESK, COFFEE SHOP & BOARDROOM TABLE.

TEL: +27 (0)11 695 2600 | FAX: +27 (0)21 511 1433
SALES@BPS.CO.ZA