

LINKQAGE

— JULY 2025 NEWSLETTER —



WINTER SALE AT DISCOUNTED PRICES WITH THESE BRANDS

LinkQnet
Brackets

LinkQnet
Power

HIKSEMI

Proskit®
Professional Tool Solutions Since 1981

AOPEN

LINDY
CONNECTION PERFECTION

VCOM


TechVision

Linkage Launches Inaugural TechVision Open Days Roadshow

During the first half of this year, Linkage proudly hosted its very first TechVision Open Days Roadshow, exclusively tailored for our valued clients in the Network and Structured Cabling sectors. The roadshow kicked off at our Cape Town Head Office and made its way across the country, concluding in Port Elizabeth. At each stop, guests received personalised, hands-on training sessions presented by industry leaders Molex and TP-link.

To round off each event attendees enjoyed exciting competitions, fantastic giveaways, and a variety of offerings from local food trucks, bringing a perfect blend of tech and taste to every location.





SOME OF OUR BEST
BEST SELLERS

LINKQNET POWER

3KVA Inverter
UPS-INV-2.4KVA-V-TG



LINKQNET POWER

5KVA Inverter
UPS-INV-5KVA-5048TG2



R3 390 excl. VAT

R3 899 incl. VAT

PEAK POWER	3000VA
RMS POWER	2400W
AC VOLTAGE	230V
DC VOLTAGE	24V
TRANSFER TIME	10ms/20ms
AC CHARGE	40A
SCC TYPE	PWM
IDEAL SCC VOLTAGE	36V - 72V DC
MAX PV OC VOLTAGE	85V DC
MAX SCC CHARGE	1200W
SCC CHARGE	50A
MAX COMBINED CHARGE	90A
PARALLEL CAPABLE	No
COMMUNICATION	USB + RS232
DIRECT BLUETOOTH	No
WI-FI OPTION	No
3G OPTION	No
SNMP OPTION	No
BATTERY TYPES	Flooded, AGM, GEL, Li-Ion Super Capacitor, Custom
BMS SUPPORT	No. Third Party Solution can be used.
WARRANTY	Two Years - Conditional

R4 999 excl. VAT

R5 749 incl. VAT

PEAK POWER	5000VA
RMS POWER	5000W
AC VOLTAGE	230V Dual Output
DC VOLTAGE	48V
TRANSFER TIME	10ms/20ms
AC CHARGE	48A
SCC TYPE	MPPT
IDEAL SCC VOLTAGE	120V - 430V DC
MAX PV OC VOLTAGE	500V DC
MAX SCC CHARGE	6000W
SCC CHARGE	100A
MAX COMBINED CHARGE	100A
PARALLEL CAPABLE	Yes - Parallel Built-In for up to 9 Units
COMMUNICATION	USB/RS-232/RS485 (BMS)
DIRECT BLUETOOTH	No
WI-FI OPTION	Yes (Installed)
3G OPTION	Yes
SNMP OPTION	Yes
BATTERY TYPES	Flooded, AGM, GEL, Li-Ion Super Capacitor, Custom
BMS SUPPORT	Yes
WARRANTY	Two Years - Conditional

SOME OF OUR BEST
BEST SELLERS

LINKQNET BRACKETS

37 – 70" Full Motion Tilt TV Wall Bracket
BRK-KLA29-466



R555 excl. VAT

R683 incl. VAT

- Adjustments: 20° Down Tilt, 3° Level Adjustment
- VESA: 600 x 400 Maximum VESA
- Profile: 78-400mm
- Supports: Flat Panel up to 35kg

LINKQNET POWER

27,000mAh Super Quick Charge Powerbank
POWERBANK-TPBQ10-BLK



R245 excl. VAT

R282 incl. VAT

- Capacity: 27,000mAh
- Battery Type: Li-Polymer
- QC3.0 22.5W Quick Charge
- 4× LED Display for Remaining Battery (25% Each)
- Dimensions: 136.8 x 68.5 x 39.7mm

LINKQNET POWER

10,000mAh Powerbank
POWERBANK-TPB745-BLK



R175 excl. VAT

R201 incl. VAT

- Comes with Built-In Charging Cables
- Capacity: 10,000mAh
- Battery Type: Li-Polymer
- 22.5W Quick Charge
- Digital Screen Display for Remaining Battery and Charging Voltage/Current
- Built-In 10-LED Lamp
- Dimensions: 133.5 x 68 x 29mm

LINKQNET POWER

10,000mAh 15W Magnetic Wireless Powerbank
POWERBANK-TPBT941-BLK



R379 excl. VAT

R436 incl. VAT

- Comes with Built-In Charging Cables
- Capacity: 10,000mAh
- Battery Type: Li-Polymer
- 15W Wireless Charge (Compatible 10W, 7.5W and 3W-1.5W)
- Digital Indicator for Remaining Battery
- Convenient Fold Out Stand
- Dimensions: 112.4 x 72 x 23mm

HIKSEMI

LinkQnet Brackets

HIKSEMI S1

DDR4-2666 SO-DIMM RAM Module
HKED4042-4G



R185 excl. VAT

R213 incl. VAT

- High Quality IC Chips
- High Compatibility
- Frequency: 2666MHz
- Pin: 260-Pin

HIKSEMI C1

Micro SD Card
HS-TF-C1-256G



R379 excl. VAT

R436 incl. VAT

- High Quality IC Chips
- High Compatibility
- Frequency: 2666MHz
- Pin: 260-Pin

HIKSEMI T200N

Type-C Portable SSD
ESSD-T200N-512G



R635 excl. VAT

R730 incl. VAT

- Capacity Expansion for Mobile Phones
- High Speed Transmission
- Max. Speed: 450MB/s
- Shock-Resistant & Heat Dissipation

LINKQNET BRACKETS

Clamp-On Organizer Shelf
BRK-DET06-02



R345 excl. VAT

R397 incl. VAT

- Desk Organizer that adds more space for additional desk storage
- Space-Saving Design that allows for an on-desk or under-desk installation
- Clamp Mounting Design that firmly attaches to the table, providing great stability
- Storage Accessories Include:
 - 1x Shelf, 3x Hooks, 3x Magnets, 2x Controller Holders and 1x Pen Holder

LINKQNET BRACKETS

11 - 15" Aluminium Laptop/Notebook Stand
BRK-AR-1




R220 excl. VAT

R253 incl. VAT

- Dimensions: 239 x 210.5 x 67.5mm

LINKQNET BRACKETS

23 - 43" Low Profile Fixed TV Wall Bracket
BRK-KL32-22F



R65 excl. VAT

R75 incl. VAT

- VESA: 200 x 200 Maximum VESA
- Profile: 20mm
- Supports: Flat Panel up to 45kg

LINKQNET BRACKETS

23 - 43" Low Profile Tilt TV Wall Bracket
BRK-KL32-22T



R75 excl. VAT

R86 incl. VAT

- Adjustments: 8° Down Tilt
- VESA: 200 x 200 Maximum VESA
- Profile: 20mm
- Supports: Flat Panel up to 45kg

LINKQNET BRACKETS

Slim Aluminium Desktop Headphone Stand
BRK-HPS01-4A



R75 excl. VAT

R86 incl. VAT

- Lightweight Aluminium Construction provides a sleek, lighter and elegant look
- Silicone Headrest that protects the headband and prevents slipping
- Non-Skid Silicone Pads (Underneath the Base) to ensure stability and protect the surface from scratches

LINKQNET BRACKETS

37 - 70" Floor to Ceiling Curved & Flat TV Bracket
BRK-LP63-46T



R999 excl. VAT

R1 149 incl. VAT

- 80° Swivel
- VESA: 600 x 400 Maximum VESA
- Dimensions (Pole):
 - Min. 2100mm - Max. 2700mm
- Supports: Flat/Curved Panel up to 35kg



VCOM

Passive USB Extension Cable
CAB-USB-EXTP-1.8MBVB



R5 excl. VAT

- Length: 1.8m
- USB 2.0

R6 incl. VAT

VCOM

Passive USB Extension Cable
CAB-USB-EXTP-1.8MBKV



R5 excl. VAT

- Length: 1.8m
- USB 2.0

R6 incl. VAT

LINDY

Crossover CAT5e F/UTP Cable
NET-CAT5-X-OVER-10ML



R10 excl. VAT

- Pinout : 1 ---- 32 ---- 63 ---- 14 ---- 75 ---- 86
----- 27 ---- 48 ---- 5

R12 incl. VAT

AOPEN

Dual Display Industrial Engine Media Player
PC-SK500



50% OFF



WAS

R6 689 excl. VAT

NOW

R3 345 excl. VAT

- Rugged Design for Industrial Applications in Harsh Environments
- Fanless Design
- Dimensions: 209.8 x 38.2 x 120mm
- CPU: Intel i5 6200U
- RAM: 4GB DDR3L SO-DIMM (Max. 8GB)
- Storage: 128GB mSATA SSD
- GPU: Intel HD Graphics 520

AOPEN

Android RK3288
PC-MEP420



50% OFF



WAS

R3 389 excl. VAT

NOW

R1 695 excl. VAT

- Supports Cross-Platform for Android and Xubuntu OS
- Fanless Design
- CPU: 1.8GHz Rockchip AMR Quad-Core Cortex A17
- RAM: 2GB DDR3
- Storage: 8GB eMMC
- GPU: ARM Mali-T764

AOPEN

4K Dual Display Digital Engine Media Player
PC-DEX5550



50% OFF



WAS

R9 767 excl. VAT

NOW

R4 884 excl. VAT

- Supports HEVC/H.265 and VP9 High-Definition 10-bit HDR Video Playback
- Supports TPM 2.0
- Fanless and Solid-State
- Dimensions: 240 x 25 x 158mm
- CPU: Intel i5 7200
- RAM: 8GB (2x 4GB) DDR4 SO-DIMM (Max. 32GB)
- Storage: 128GB M.2 SSD
- GPU: Intel UHD Graphics 620

AOPEN

4K Quad Display Digital Engine Media Player
PC-DE6340



50% OFF



WAS

R8 844 excl. VAT

NOW

R4 422 excl. VAT

- Supports 4K @60Hz HEVC H.265 and VP9 Video Playback
- Equipped with AOPEN intelligent Control Unit (AiCU) Technology for Easy Management and Monitoring
- Dimensions: 166 x 48 x 157mm
- CPU: AMD Ryzen V1000
- RAM: 4GB (2x 2GB) DDR4 SO-DIMM (Max. 32GB)
- Storage: 128GB M.2 SSD
- GPU: AMD Radeon Vega 11 Graphics

AOPEN

4K Dual Display Digital Engine Media Player
PC-DE3450Z



50% OFF



WAS

R4 848 excl. VAT

NOW

R2 424 excl. VAT

- Supports 4K @60Hz HEVC H.265 and VP9 Video Playback
- Equipped with AOPEN intelligent Control Unit (AiCU) Technology for Easy Management and Monitoring
- Dimensions: 166 x 25 x 158mm
- CPU: Intel N3350 Embedded
- RAM: 8GB (2x 4GB) DDR3L SO-DIMM (Max. 16GB)
- Storage: 64GB M.2 SSD
- GPU: Intel HD Graphics 500

AOPEN

4K Digital Engine Media Player
PC-DE3450S



50% OFF



WAS

R3 981 excl. VAT

NOW

R1 991 excl. VAT

- Supports 4K @60Hz HEVC H.265 and VP9 Video Playback
- Watchdog Timer for Device Monitoring and Control
- Dimensions: 166 x 25 x 158mm
- CPU: Intel Celeron N3350
- RAM: 4GB (2x 2GB) DDR3L SO-DIMM (Max. 8GB)
- Storage: 64GB M.2 SSD
- GPU: Intel HD Graphics 500



Professional Tool Solutions Since 1991

AOPEN

10" Android Room Booking System
PC - AT1032TB



50% OFF



WAS

R5 425 excl. VAT

NOW

R2 713 excl. VAT

- 10" Android Room Booking System (No Software Included)
- 10" LCD IPD Panel
- Android 8.1 OS
- Dimensions: 275.4 x 170.4 x 25mm
- CPU: 1.8GHz Rockchip RK3288 Quad-Core Cortex A17
- RAM: 2GB DDR3L
- Storage: 16GB
- GPU: ARM Mali-T764

AOPEN

Dual Display Industrial Engine Media Player
PC - AP300



50% OFF



WAS

R4 699 excl. VAT

NOW

R2 350 excl. VAT

- A Semi-Industrial PC Designed to Operate in Extreme Environments, Such as Factories or Dusty Warehouses
- Fanless Design
- Dimensions: 183 x 36 x 115.2mm
- CPU: Intel Celeron E3940
- RAM: 4GB DDR3L SO-DIMM (Max. 8GB)
- Storage: 64GB mSATA SSD
- GPU: Intel HD Graphics 500

SUNELL

2MP Analogue Eyeball IR Dome IP Camera
CAM - E1302FVD - CB3



R149 excl. VAT

R171 incl. VAT

- 1/2.9" Progressive Scan CMOS
- 1920x1080
- Fixed Lens
- 360° Pan and Rotation
- 90° Tilt
- Up to 20m IR Range

SUNELL

2MP IP PoE Ceiling Dome Camera With Mic.
CAM - IPD5920ZDR - B



R599 excl. VAT

R689 incl. VAT

- 1/2.8" Progressive Scan CMOS
- 2.8mm Lens
- 25fps/30fps@2MP (1920x1080)
- Triple Streams
- Smart IR Up to 15m
- WDR, 3D DNR
- ROI, Defog, HLC, Corridor Mode, DIS
- 1-Channel Audio In/Out
- IP66

SUNELL

4MP Manual Vari-Focal Ip PoE Mini Dome Camera
CAM - IPV57-04EEDR - Z



R695 excl. VAT

R799 incl. VAT

- 1/3" Progressive Scan CMOS
- Motorized Lens 2.7-13.5mm
- 25fps/30fps@4MP (2592x1520)
- Triple Streams
- Smart IR Up to 30m
- Low bitrate, Excellent Low Light Performance
- WDR, 3D DNR
- ROI, Defog, HLC, Corridor Mode, DIS
- IP66, IK10

SUNELL

4-Channel 1-Bay Network Video Recorder
CAM - NVR2504E1 - E



R999 excl. VAT

R1149 incl. VAT

- Up to 4ch Ip Cameras Access
- Easy to use Same Interface of GUI/WEB/Client
- 1x SATA hard disk up to 8TB
- 1x RJ45 10M/100M Network Interface
- 4CH PoE Ports
- Simultaneous HDMI&VGA up to 4K Output
- 4ch Alarm In/1ch Alarm Out
- 1ch Audio I/O

PRO'SKIT

Utility Knife
NET - DK - 2039



R55 excl. VAT

R63 incl. VAT

- Snap-Off Dull Blade Function

PRO'SKIT

120mm Pliers
NET - 1PK - 051DS



R69 excl. VAT

R79 incl. VAT

- 55CrNi Forged Steel
- Non-Slip Handle

PRO'SKIT

Passive USB Extension Cable
NET - DK - 2112



R79 excl. VAT

R91 incl. VAT

- Heavy-Duty Zinc Alloy Body
- Ergonomic Shaped Handle with Non-Slip TPR Grip
- Convenient Blade Storage Compartment
- Holds up to 6x Blades (Blades Included)
- Effortless Blade Reload and Removal
- Eyelet for Lanyard

Pro'sKit®

Professional Tool Solutions Since 1991

PRO'SKIT

13-Piece Household Tool Kit
NET-PK-2028T



R399 excl. VAT **R459** incl. VAT

- 165mm Pliers
- 160mm Long Nose Pliers
- 8" Adjustable Wrench
- PVC Insulated Tape
- Screwdriver Probe Voltage Tester
- 3m Measuring Tape
- LED Flashlight
- Folding Hex Key: - 1.5, 2, 2.5, 3, 4, 5, 6, 8mm
- Curved Claw Hammer
- Double-End Reversible
- Screwdriver #2/-6.0 × 100mm
- 9-in-1 Precision Screwdriver Set
- 165mm Cutter
- 6" Saw

PRO'SKIT

General Household Tool Kit
NET-PK-2051T



R399 excl. VAT **R459** incl. VAT

- 160mm Side Cutter
- 160mm Long Nose Pliers
- 3m Measuring Tape
- LED Flashlight
- PVC Insulated Tape
- Screwdriver Probe Voltage Tester
- 30-Pcs Aluminium Handle Precision Screwdriver Set
- 8" Adjustable Wrench
- 8-Pcs Aluminium Case Folding Hex Key
- Utility Knife
- Line Colour Screwdriver -3.0 × 75mm, -6.0 × 100mm
- Line Colour Screwdriver #0 × 75mm, #2 × 100mm
- 165mm All Purpose Snip

PRO'SKIT

General Household Repair Kit
NET-PK-2057



R220 excl. VAT **R253** incl. VAT

- 3m Measuring Tape
- PVC Insulated Tape
- Utility Knife
- Phillips PH2 × 100mm
- Slotted 5 × 100mm
- Voltage Tester
- Curved Claw Hammer
- Spirit Level
- 6" Pliers
- 6" Long Nose Pliers
- 5-Pc Ball-Point Hex Key Set
- Component Storage Box

PRO'SKIT

Solar MC3 and MC4 Crimping Tool Kit
NET-PK-2061



R2 074 excl. VAT **R2 385** incl. VAT

- Parallel Action Crimper Frame
- MC3 Solar Connector Die Set
- MC4 Solar Connector Die Set
- Solar Cable Stripper
- 160m Forging Cable Cutter for Copper Cable
- 2-Piece MC4 and MC4 PLUS Open-End Spanner and Unlocking Tool
- Screwdrivers 5 × 75mm and #2 × 100mm

PRO'SKIT

Mini Household Tool Kit
NET-PK-301



R389 excl. VAT **R447** incl. VAT

- Compact Size With All Essential Tools
- Modern Case With Macaron Colour
- Basic Repair Capable

PRO'SKIT

1500W Heat Gun Kit
NET-SS-611B



R336 excl. VAT **R386** incl. VAT

- Temperature and Air Flow Control Switch
- Includes 4 Nozzles and 1 Scraping Tool with Carry Case

PRO'SKIT

70m Laser Distance Measurer
NET-NT-6370



R345 incl. VAT **R397** incl. VAT

- Easily measure up to 70m
- Lateral and vertical bubble
- Millimeter accuracy
- 0.3 Second flash test
- Conversion of 4 units - meter / inch /feet and inch



PRO'SKIT

80W Hot Melt Glue Gun
NET-GK-390B




R99 incl. VAT **R114** incl. VAT


- Suitable for 11mm Glue Sticks
- Full-Hand Lever Trigger
- Power Switch
- LED Indicator




OUR UPDATED WEBSITE IS LIVE!




PLEASE NOTE: Your login credentials are the same as your Stock2Shop details. If your details fail, please use the "forgot password" link on the login page to set a new one.




SIGN IN/REGISTER FOR DEALER PRICING



IMPROVED CHECKOUT
Payments via Account or Instant Online via Paygate



EDITABLE CART TOTALS



MULTIPLE SHIPPING OPTIONS
The Courier Guy, In-Store Collection and Regular Shipping Agreement

PLEASE CONTACT YOUR SALES REP FOR MORE INFORMATION OR HELP REGISTERING

WE SINCERLY THANK YOU FOR YOUR CONTINUED SUPPORT

Please click the link below
to view our catalogue.

[Download](#)



Cape Town

Tel: +27 (0)21 514 4800
Fax +27 (0)21 511 1433
sales@linkqage.co.za
salesCPT@linkqage.co.za

32 Gold St, Brooklyn
Northgate Estate
Cape Town
7405

Durban

Tel: +27 (0)31 020 0271
Fax +27 (0)21 511 1433
salesDBN@linkqage.co.za

28 Boulevard Business Park
14 Belladonna Rd, Cornubia
Durban
4339

Mbombela (NLP)

Tel: +27 (0)13 010 1710
Fax +27 (0)21 511 1433
salesNLP@linkqage.co.za

Unit B2 Waterfall Park
Riverside Industrial
Mbombela
1200

Gqeberha (PE)

Tel: +27 (0)41 393 4300
Fax +27 (0)21 511 1433
salesPE@linkqage.co.za

48 Newton St
Newton Park
Gqeberha
6045

Johannesburg

Tel: +27 (0)11 695 2600
Fax +27 (0)21 511 1433
salesJHB@linkqage.co.za

Sagewood Corner
Cnr Douglas & 16th Rd
Midrand
1683

Bloemfontein

Tel: +27 (0)51 250 1250
Fax +27 (0)21 511 1433
salesBFN@linkqage.co.za

24 Markgraaff St
Bloemfontein Central
Bloemfontein
9301